

T2S-R2E. 2nd Mer.

146	146	146	147	147	147	
145	6	5	4	3	2	1
159	162	162	161	161	161	161
145	7	8	9	10	11	12
159	159	159	158	158	157	157
145	18	17	16	15	14	13
155	156	156	156	157	157	157
145	19	20	21	22	23	24
152	155	153	155	154	154	154
144	30	29	28	27	26	25
149	149	149	150	150	150	151
144	31	32	33	34	35	36
141	141	141	141	141	141	141

T3S-R2E. 2nd Mer.

165	165	165	166	166	164	
167	6	5	4	3	2	1
184	184	184	185	183	183	182
168	7	8	9	10	11	12
183	182	183	180	181	181	182
168	18	17	16	15	14	13
179	179	179	176	178	178	178
168	19	20	21	22	23	24
175	175	176	175	176	177	177
168	30	29	28	27	26	25
172	172	172	172	174	173	173
169	31	32	33	34	35	36
170	170	170	170	170	171	169

T. 1. S. R. 2. E 2^d Mer. Ind.^a

Township No. 1. S. R. No. 2. E. 2^d Mer.
Indiana

West On the S. Side of Sec. No 36. T. 1. S. R. 2. E
40.00 Set temp^y post
80.00 Set do do Broken land, thin soil Oak Timber

West On the S. Side of Sec. No. 35. T. 1. S. R. 2. E
27.50 To Blue River, over 2.25 Mts. course S 15° E
40.00 Set temp^y post
80.00 Set do do. Broken land, thin soil Oak & Hick^y Timber

West On the S. Side of Sec. No. 34. T. 1. S. R. 2. E
40.00 Set temp^y post
80.00 Set do do. Broken land, thin soil, Oak & Hick^y Timber

West On S. Side of Sec. No. 33. T. 1. S. R. 2. E.
40.00 Set temp^y post
80.00 Set do do. Broken land, thin soil, Oak & Hick^y Timber.

West On S. Side of Sec. No. 32 T. 1. S. R. 2. E
33.00 To a Branch course S. over 50 Mts.
40.00 Set temp^y post
80.00 Set do do. Broken land, thin soil, Oak Timber

West On S. Side of Sec. No. 31. T. 1. S. R. 2. E
40.00 Set Temporary post
12.80 To R. line full N. of the post 4 chs.
Broken land thin soil Oak Timber

East On the S. Side of Sec. No. 31. T. 1. S. R. 2. E a true line
42.80 Established the Sec. post from which a Hick^y 6 ins.
diam. bears N 14 E 9 Mts. To B. Oak 12 ins. diam. bears
D 50 E 22 Mts.
42.80 Set the post at the cor. of Sec. No. 31 & 32 from which
a Walnut 8 ins. diam bears N 58 W 15 Mts. To Gum 10 ins.

N. D. S. R. D. E. of Mer. Ind.

dia. bears N 77 E 10 lks.

East	Run true line on the S. Side of Sec. No. 32. N. D. S. R. D. E.
40.00	Established 1/2 Sec. post from which a Sugar tree 10 ins. dia. bears S 50 W 15 lks. & a Sugar tree 12 ins. dia. bears N 43 E 24 lks.
80.00	Established post at the corner of Sec. No. 32 & 33 from which a Sugar tree 10 ins. dia. bears N 49 E 31 lks. & a Dogwood 4 ins. dia. bears N 37 W 26 lks.
East	Run true line on the S. Side of Sec. No. 33. N. D. S. R. D. E.
40.00	Established 1/2 Sec. post from which a Cherry 12 ins. dia. bears N 65 E 22 lks. & a B. Oak 12 ins. dia. bears N 50 W 19 lks.
80.00	Established Sec. post at the corner of Sec. No. 33 & 34 from which a Gum 5 ins. dia. bears N 65 E 13 lks. & a Gum 7 ins. dia. bears N 63 W 6 lks.
East	Run true line on the S. Side of Sec. No. 34. N. D. S. R. D. E.
40.00	Established 1/2 Sec. post from which a Gum 6 ins. dia. bears S 57 W 7 lks. & a B. Oak 20 ins. dia. bears N 57 E 13 lks.
80.00	Established Sec. post at the cor. of Sec. No. 34 & 35 from which a W. Oak 18 ins. dia. bears N 58 E 17 lks. & a Dogwood 4 ins. dia. bears S 57 E 4 lks.
East	Run true line on the S. Side of Sec. No. 35. N. D. S. R. D. E.
40.00	Established 1/2 Sec. post from which a Walnut 4 ins. dia. bears E. 5 lks. & a Walnut 5 ins. dia. bears N 45 W 3 lks.
80.00	Established Sec. post at the corner of Sec. No. 35 & 36 from which a Walnut 6 ins. dia. bears N 60 W 10 lks. & a W. Oak 7 ins. dia. bears East 8 lks.
East	Run true line on the S. Side of Sec. 36. N. D. S. R. D. E.
40.00	Established 1/2 Sec. post from which a W. Oak 5 ins. dia. bears S 5 E 32 lks. & a B. Oak 8 ins. dia. bears N 30 W 19 lks.
80.00	To Town corner.
North	On Range line between Sec. No. 31 & 36 & Range No. 2 & 3 E

N. D. S. R. D. E. of Mer. Ind.

Township No. 2. S.

3.80 Dead Elm 3 ins. dia.

40.00 Set 1/4 sec. post from which a W. Oak 12 ins. dia. bears N 81 W 14 lbs. & a Walnut 28 ins. dia. bears N 67 E 28 lbs.

Land from 4 story. Timber - W. Oak Dogwood Hickory &

80.00 Set sec. post from which a Gum tree 6 ins. dia. bears N 69 W 44 lbs. & a Poplar - 12 ins. dia. bears S 85 W 38 lbs.

Level land W. Oak & Dogwood Timber. Land of good quality, no water.

00.20 No water in sink hole remarkably cold

40.00 Set 1/4 sec. post crop dry run 10 lbs. wide where a Gum 9 ins. dia. bears S 8 1/2 W 19 lbs. and a forked Hickory 10 ins. dia. bears N 46 E 24 lbs.

80.00 Set post where a W. Hickory 18 ins. dia. bears N 48 W 17 lbs. & a B. Oak 3 ins. dia. bears S 79 W 59 lbs. Level land, large W. Oak & B. Oak Timber - W. G. Dogwood
Sec. No. 25 & 24

2.00 A Gum 10 ins. dia.

40.00 Set 1/4 sec. post from which a B. Oak 24 ins. dia. bears N 19 E 48 lbs. & a B. Oak 9 ins. dia. bears S 60 W 27 lbs. Rich land, Sugar tree, Walnut, B. Oak, Beech, Sassafras

80.00 Set sec. post from which a W. Oak 10 ins. dia. bears N 61 W 37 lbs. & a Hickory 15 ins. dia. bears S 53 W 54 lbs. Timber W. Oak, B. Oak, Hickory, & B. Walnut. Limestone land - Sec. 24 & 13. Town 2. S. R. D. E.

40.00 Set 1/4 sec. post in a thicket of briars, high weeds. Scarcely passable, from which a Hickory 12 ins. dia. bears N 69 W 13 lbs. & a Hickory 16 ins. dia. bears S 50 E 13 lbs.

80.00 Set post to sections No. 13 & 12 from which a B. Oak 10 ins. dia. bears S 47 W 38 lbs. & a W. Oak 6 ins. dia. bears S 74 W 31 lbs. Poor story land, small W. Oak & B. Oak Timber - W. G. Dogwood &

T. D. L. R. D. Co. / Mo. 5

5.75	To a B. Oak 15 ins. dia
40.00	Set 1/4 Sec. post from which a W. Oak 24 ins. dia. bears N 39 W 25 lbs. & Hick 7. 18 ins. dia. bears N 20 E 14 lbs. Thin land, limestone & Timber W. Oak - no water
10.00	Set post from which a B. Oak 10 ins. dia. bears N 57 W 45 lbs. & another B. Oak 8 ins. dia. bears N 62 W 24 lbs.
One Section No. 12 & 1	
40.00	Set 1/4 Sec. post, poor Oak land, where a W. Oak 9 ins dia. bears N 12 E 9 lbs. & a B. Oak 11 ins. dia. bears N 71 W. 15 lbs.
80.00	Set post on Town where a B. Oak 10 ins. dia bears N 67 W 53 lbs. & a B. Oak 12 ins. dia. bears N 32 E 16 lbs. Land of this mile hilly, part barrens Timber W. Oak &c.
North	from D. E. cor. of D. D. R. I. E. on E. R. line, E. side of Sec. 36.
8.30	To line W. Oak 15 ins. dia
18.50	To line Poplar 18 " "
40.00	Set 1/4 Sec. post from which a Sassafras 9 ins. dia. bears N 40 E 30 lbs. & a W. Oak 30 ins. dia. bears N 80 W 29 lbs.
57.50	To run 5 lbs. over course. E
80.00	Set post N. E. cor. of Sec. No. 36 & D. E. cor. of Sec. No. 25 in D. D. R. I. E. from which a Maple 9 ins. dia. bears N 45 W 28 lbs. & a W. Oak 36 ins. dia. bears N 78 E 60 lbs. Level land, poor soil. Oak Timber, no water
North	On E. Side of Sec. 25. T. D. L. R. I. E.
7.72	To line B. Oak 30 ins. dia
40.00	Set 1/4 Sec. post from which a W. Oak 20 ins. dia. bears E. 14 lbs. & a B. Oak 15 ins. dia. bears N 60 E 31 lbs.
77.26	To stream course. E.
80.00	Set post N. E. cor. of Sec. No. 25. & D. E. cor. of Sec. No. 24 on E. R. line, from which a Gum 20 ins. dia. bears N 30 W 46 lbs. & a W. Oak 9 ins. dia. bears N 15 E 17 lbs. Level land, thin soil, Oak Timber

T. J. L. R. D. Co. of Mo. Ind.

North	On E. R. line of Sec. No. 24. T. 2. S. R. 1. E
13.50	Run course S. E. 5 lbs. wide
9.26	To line B. Oak 36 ins. dia.
31.15	" " " " 15 " "
40.00	Set 1/4 sec. post from which a Gum 7 ins. dia. bears S 40 E 29 lbs. & a Cherry tree 8 ins. dia. bears N 75 W 20 lbs.
52.00	To a Run course S. E. 7 lbs. wide.
80.00	Set post N. E. cor. of Sec. No. 24 & S. E. cor. of Sec. No. 13 in T. 2. S. R. 1. E. from which a Poplar 20 ins. dia. bears S 85 W 33 lbs. & a Poplar 18 ins. dia. bears N 70 E 3 lbs. Rough hills, poor land, Oak Timber. Sassafras & Oak N. G.
North	On E. R. line E. side of Sec. No. 13. T. 2. S. R. 1. E
2.30	To a line B. Oak 30 ins. dia
11.40	To a line B. Oak 20 " "
40.00	Set 1/4 sec. post from which a Hickory 8 ins. dia. bears N 40 E 21 lbs. & a B. Oak 40 ins. dia. bears S 60 W 9 lbs.
80.00	Set post Cor. of Sec. No. 12 & 13 on E. R. line from which a W. Oak 10 ins. dia. bears S 70 E 19 lbs. & a Gum 12 ins. dia. bears N 63 W 60 lbs. First 1/2 rough & poor, the rest good land. Timber Oak Hickory & Gum.
North	On E. side of Sec. No. 12. T. 2. S. R. 1. E
34.23	To a line W. Oak 30 ins. dia
40.00	Set 1/4 sec. post from which a W. Oak 15 ins. dia. bears N 65 E 40 lbs. & a W. Oak 24 ins. dia. bears S 80 W 14 lbs.
76.20	To a Run 20 lbs. wide, no water. 6 lbs. E
80.00	Set post N. E. cor. of Sec. No. 12 & S. E. cor. of Sec. 6 in T. 2. S. R. 1. E. from which a Sugar-tree 13 ins. dia. bears N 35 W 12 lbs. & a Sugar tree 20 ins. dia. bears S 60 E 44 lbs. Good land, Timber Oak Hickory &c. Spice N. G.
North	On R. line. E. side of Sec. No. 1. T. 2. S. R. 1. E
40.00	Set 1/4 sec. post from which a Hickory 20 ins. dia. bears S 40 W 12 lbs. & a Sugar tree 13 ins. dia. bears N 5 E 60 lbs.
66.00	To creek 60 lbs. over course S. E. supposed to be a Branch.

T. 2. S. R. 2. E. of Mer. Ind.

80.00	of Pottokia Set post N.E. corner of T. 2. S. R. 1. E. & D. E. cor. of T. 1. S. R. 1. E. & D. W. corner of T. 1. S. R. 2. E & N. E cor. of T. 2. S. R. 2. E. & N. E. cor. of Sec. No. 1. in T. 2. S. R. 1. E. & D. E. corner of Sec. No. 36 in T. 1. S. Good land principally bottom Timber Sugar-tr Hickory brush & Oak Spice W. G. — a W. Oak 15 ins. dia. bears E 12 lbs. from the Township corner V another W. Oak 18 ins. dia. bears S 50 E 26 lbs
East	On Base line between Towns 2 & 3 South in Range 2 East
4.20	To line B. Oak 2 1/4 ins. dia
7.15	To " W. Oak 15 " "
7.20	To " W. Oak 13 " "
11.55	To " W. Oak 15 " "
40.00	Set 1/4 sec. post from which a W. Oak 2 1/4 ins. dia N 37 E 31 lbs. & a Dog? 7 ins. dia bears South 13 lbs.
48.00	To run 30 lbs. wide course S 20 E
80.00	Set post corner to Sect. No. 31 & 32 on S. boundary of T. 2 S. R. 1. East W. Oak 15 ins. dia N 30 W 26 lbs. & a Hickory 6 " " S 35 E 10 " East 35 lbs. run bottom. the Rest. hill land good soil Oak & Hickory timber
East	Continued Base line On South side of Sec. 32
5.00	To small run S.E.
29.20	To run 5 lbs. wide — S.E.
32.00	To do small — South
40.00	Set 1/4 sec. post. Hickory S 45 W 21 lbs. 7 ins. dia Gum 18 ins. dia. N 5 W 31 lbs. dist.
59.20	To run small North
80.00	To W. Oak 5 ins. dia. cor. to Sect. 32 & 33 on S. side of T. 2. S. R. 2. E. W. Oak 8 ins. dia. S 11 E 8 lbs. Thin Soil Oak timber
East	On South Boundary of Sect. 33
20.50	To run South small

T. 2 S., R. 2 E., 2^d Mer. Ind.

40.00 Set $\frac{1}{4}$ sec. post. W. Oak 13 ins. S 60 E 8 lks. dist &
a Dogwood 8 " N 80 W 23 " "
45.85 To a B. Oak 20 ins. dia. in line
48.00 To run small S. E.
64.50 To " " S. W
80.00 Set post corner to Sec. 33 & 34. W. Oak 12 ins. S 70 W
15 lks. & a Gum 13 ins. dia N 78 E 28 lks. dist
Hill land Oak timber generally thin soil

East On South side of Sec. 35
3.35 To line Hickory 15 ins. dia
40.00 Set $\frac{1}{4}$ sec. post B. Walnut 15 ins N 30 E 45 lks
Mulberry 7 " N 40 W 29 "
52.00 To line Sugar tree 15 ins. dia.
80.00 Set post corner of 34 & 35 - B. Oak 20 ins. dia S 60 E
10 lks. & a Hickory 9 ins. dia N 35 W 25 lks -
Rough hills. good soil. Oak, Buck. Sugar. Spruce

East On South side of Sec. 34
3.50 To small run S. E
17.40 Hickory 7 ins. dia
40.00 Set $\frac{1}{4}$ sec. post - Gum 7 ins. dia. S 60 W 12 lks. &
a W. Oak 10 " " N 70 W 25 "
80.00 Set post corner of 34 & 35. B. Oak 20 ins. N 70 E 10 lks
Hill land, Oak timber $\frac{3}{4}$ Dogwood 4 " S 80 W 8 "

East On South side of Sec. 36
8.00 To Big Blue river course S. W
10.70 To East Bank - The line crosses at the head of
a fall in the River of about 4 or 5 feet, a short
bend in the River below, renders it a good mill seat
40.00 To Log $\frac{1}{4}$ sec. corner - B. Oak 5 ins. South 50 lks
80.00 Set post corner to Town 2 & 3 S. R. 2 & 3 in
R. 3 S. & S. E corner of Sec. 36 in T. 2 S. R. 2 & 3 S. W
corner of Sec. 31. in T. 2 S. R. 3 S.
W. Oak 15 ins. dia. N 20 W 43 lks. &
a B. Oak 15 " " S 50 E 15 "
First 1/2 rough hills - the last rich. timber Oak
Poplar B. Walnut - good land on the N. side for the last 1/2

T. J. L. R. D. E. of Mrs. Ind.

North	Between Sec. No. 35 & 36. Nov. 26. 1805.
6.25	To line Buck 36 ins. dia.
24.00	To Blue River course E. over 250 lbs
40.00	Set 1/4 Sec. post from which a W. Oak 12 ins. dia. bears S 32 W 38 lbs. & a B. Walnut 18 ins. dia. bears S 47 E 44 lbs.
14.15	To a B. Oak 20 ins. dia. in line
80.00	Set post at the corner of Sec. No. 25. 26. 35 & 36. from which a Sugar tree 6 ins. dia. bears N 45 W 17 lbs. & a Beech 5 ins. dia. bears S 10 E 20 lbs. Broken land, thin soil, Oak Timber
North	Between Sec. No. 34 & 35
6.18	To line W. Oak 24 ins. dia.
40.00	Set 1/4 Sec. post from which a Gum 6 ins. dia. bears N 82 E 9 lbs. & a Hickory 10 ins. dia. bears S 30 W 8 lbs.
50.00	To a precipice on Blue River course of the River E. Broken land thin soil, Oak Timber
80.00	Gum 10 ins. dia. for corner tree.
North	Between Sec. No. 33 & 34
10.22	To line B. Oak 20 ins. dia.
40.00	Set 1/4 Sec. post from which a Poplar 15 ins. dia. bears N 68 W 4 lbs. & a W. Oak 18 ins. dia. bears N 35 E 14 lbs.
80.00	Set the post at the cor. of Sec. No. 27. 28. 33 & 34. from which a W. Oak 5 ins. dia. bears N 37 E 17 lbs. & a W. Oak 18 ins. dia. bears S 39 E 27 lbs. Broken land, thin soil, Oak Timber
North	Between Sec. No. 32 & 33
17.75	To line W. Oak 20 ins. dia.
40.00	Set 1/4 Sec. post from which a Dogwood 8 ins. dia. bears S 5 E 30 lbs. & a W. Oak 16 ins. dia. bears N 45 E 11 lbs.
80.00	Set the post at the corner of Sec. No. 28. 29. 32 & 33 from which a Gum 16 ins. dia. bears N 41 E 19 lbs. & a Poplar 12 ins. dia. bears S 1 W 15 lbs. Broken land, thin soil, Oak Timber

T. J. L. R. J. E. of Mer. Ind.

North	Between Sec. No. 31 & 32
7.06	To line W. Oak 20 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears S 77° 24' lbs. & a W. Oak 24 ins. dia. bears N 76° 20' lbs.
80.00	Set the post at the cor. of Sec. No. 29, 30, 31 & 32 from which a Dogwood 4 ins. dia. bears S 90° 17' lbs. & a Dogwood 10 ins. dia. bears N 57° 10' lbs. Broken land, thin soil. Oak timber
West	Between Sec. No. 30 & 31
40.00	Set $\frac{1}{4}$ Sec. post from which a Poplar 18 ins. dia. bears S 5° 6' lbs. & a Dogwood 4 ins. dia. bears N 63° 17' lbs.
80.06	To R. line fell N. of the post 1 ch. 10 lbs. Set post at the cor. of Sec. No. 30 & 31. Level land, thin soil Oak Timber — W. Oak 6 ins. dia. corner tree
North	Between Sec. No. 29 & 30
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 15 ins. dia. bears N 15° 12' lbs. & a W. Oak 12 ins. dia. bears S 15° 14' lbs.
42.50	To line W. Oak 24 ins. dia
80.00	Set post at the corner of Sec. No. 19, 20, 29 & 30 from which a W. Oak 20 ins. dia. bears S 7° 26' lbs. & a B. Oak 30 ins. dia. bears N 20° lbs. Broken land thin soil. Oak Timber
East	Between Sec. No. 29 & 32
40.00	Set $\frac{1}{4}$ Sec. post
80.12	fell S. of the corner 50 lbs. Broken land thin soil. Oak Timber
West	Run true line & established the Sec. post from which a Poplar 18 ins. dia. bears N 75° 24' lbs. & a W. Oak 10 ins. dia. bears S 73° 23' lbs.
North	Between Sec. 28 & 29
13.06	To line W. Oak 15 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which an Allum tree 10 ins. dia. bears

S. J. L. R. D. E. of Mer.

63.80	N 65 W 24 lbs. Va W. Oak 18 ins. dia. bears S 2 E 45 lbs.
80.00	To line Poplar 24 ins. dia. Set post at the cor. of Sec. No. 20. 21. 28 & 29 from which a W. Oak 18 ins. dia. bears N 45 W 14 lbs. Va W. Oak 20 ins. dia bears S 5 W 45 lbs. Broken land, thin soil, Oak Timber
East	Between Sec. No. 28 & 33
40.00	Set 1/4 Sec. post
80.00	Full S. of the post 76 lbs. Broken land thin. Soil. Oak Timber
West	Run true line & established 1/4 Sec. post from which a W. Oak 6 ins. dia. bears N 5 W 9 lbs. Va W. Oak 8 ins. dia. bears S 75 E 19 lbs.
North	Between Sec. No. 27 & 28
8.36	To line B. Oak 20 ins. dia.
40.00	Set 1/4 Sec. post from which a B. Oak 10 ins. dia. bears N 25 E 26 lbs. Va Hickory 15 ins. dia. bears S 2 W 23 lbs.
57.50	To a Branch running East
80.00	Set post at the corner of Sec. No. 21. 22. 27 & 28 from which a Buck 10 ins. dia. bears S 45 W 10 lbs. Va Hickory 9 ins. dia. bears N 40 E 23 lbs. Broken land, thin soil, Oak Timber.
East	Between Sec. No. 27 & 34
40.00	Set 1/4 Sec. post
64.50	To Blue River course S 50 W. 3 chs. over
80.00	Full S. of the corner 50 lbs. Broken land, thin soil Oak & Poplar Timber.
West	Run true line & established 1/4 Sec. post from which a W. Oak 24 ins. dia. bears S 5 E 11 lbs. Va Dogwood 8 ins dia. bears N 10 E 21 lbs.
East	Between Sec. No. 26 & 35

S. D. S. R. D. E. of Mer. Ind.

8.50 To Blue River course N 30 W. over 3 chs.
 40.00 Set $\frac{1}{4}$ Sec. post
 65.00 To Blue River course S 45 W. over 2.50 chs
 79.97 Set S. of the post 90 chs. — Broken land, good Soil —
 Sugar Beech & Oak Timber

West Run true line & established $\frac{1}{4}$ Sec. post from which a
 Sugar-tree 8 ins. dia. bears N 7 E 21 chs. & a B. Oak 11 ins. dia.
 bears N 87 W 8 chs

Dec. 22. 1805 Destroyed post set on the E. R. line for the corner of Sec.
 No. 25 & 36 in S. D. S. R. D. E. & blazed a line from a post
 set by Mr. Heath though not properly established by
 him & which led to an error. Established the $\frac{1}{4}$ Sec.
 post at the average distance. a Hickory 8 ins. dia. corner
 of $\frac{1}{4}$ Section & another Hickory 18 ins. dia. bears N 30 E 60 chs.

North Between Sec. No. 25 & 26

19.12 To line Hickory 16 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 20 ins. dia. bears S
 5 chs. & another W. Oak 6 ins. dia. bears W. 2 chs.
 80.00 Set post at the corner of Sec. No. 23. 24. 25 & 26 from
 which a W. Oak 18 ins. dia. bears S 38 W 11 chs. & a Hickory 6 ins.
 dia. bears N 30 W 9 chs. Broken land, thin Soil, Oak Timber.

North Between Sec. No. 26 & 27

4.75 To line Hickory 12 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a Hickory 6 ins. dia. bears N
 80 W 14 chs. & a Hickory 10 ins. dia. bears S 36 E 25 chs.
 80.00 Set post in Blue River — no bearing trees at the cor. of
 Sec. No. 22. 23. 26 & 27. Broken land thin Soil. Oak
 Timber

West Between Sec. No. 22 & 27

12.30 To Blue River course N 45 W. over 2 chs.
 40.00 Set $\frac{1}{4}$ Sec. post

T. D. L. R. I. E. of Mer.

68.40 80.04	To Blue River course S 18 W. over 2 Acs. 20 lbs fell N. of the post 65 lbs. Broken land, thin soil, Oak timber
East	Run true line & established $\frac{1}{4}$ Sec. post from which a Hickory 10 ins. dia. bears N 14 W 13 lbs. & a W. Oak 18 ins. dia. bears S 30 E 12 lbs.
West 40.00 79.76	Between Sec. No. 21 & 28 Set $\frac{1}{4}$ Sec. post hit post, Established $\frac{1}{4}$ Sec. post from which an Allum 4 ins. dia. bears S 30 E 30 lbs. & a W. Oak 15 ins. dia. bears N 60 W 20 lbs. Broken land, thin soil, Oak timber
West 40.00 80.27	Between Sec. No. 20 & 29 Set $\frac{1}{4}$ Sec. post fell N. of the post 70 lbs. Broken land, thin soil, Oak Timber
East	Run true line & established $\frac{1}{4}$ Sec. post from which a Hickory 8 ins. dia. bears S 84 E 19 lbs. & a Dogwood 4 ins. dia. bears N 41 W 15 lbs.
West 40.00 80.15	Between Sec. No. 19 & 30 Set $\frac{1}{4}$ Sec. post from which a Sugar tree 10 ins. dia. bears N 63 E 31 lbs. & a Dogwood 4 ins. dia. bears S 65 W 14 lbs. fell N. of the post 96 lbs. Set post on R. line at the cor. of Sec. No. 19 & 30 from which a W. Oak 30 ins. dia. bears N 22 E 18 lbs. & a Sugar tree 7 ins. dia. bears S 40 W 22 lbs. Broken land, thin soil, Oak Timber.
North 21.00 40.00 80.00	Between Sec. No. 19 & 20 To line W. Oak 20 ins. dia Set $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia. bears S 88 E 20 lbs. & a Hickory 12 ins. dia. bears S 43 W 20 lbs. Set post cor. of Sec. No. 17, 18, 19 & 20 from which a Buck 10 ins. dia. bears N. 13 lbs. & a Hick. 20 ins. dia. bears S 60 E 10 lbs

	Broken land, thin soil. Oak Timber
North	Between Sec. No. 20 & 21
24.64	To line Mr. Oak 18 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a Hickory 8 ins. dia. bears N 65 W 23 lbs. & a Mr. Oak 4 ins. dia. bears S 10 W 4 lbs.
80.00	Set post at the cor. of Sec. No. 16. 17. 20 & 21 from which a Mr. Oak 18 ins. dia. bears S 18 W 18 lbs. & a Gum 20 ins. dia. bears N 9 W 10 lbs. Broken land, thin soil, Oak Timber
North	Between Sec. No. 21 & 22
40.00	Set $\frac{1}{4}$ Sec. post from which a Mr. Oak 15 ins. dia. bears N 16 E 15 lbs. & a Mr. Oak 4 ins. dia. bears S 7 E 10 lbs.
60.00	To line a Mr. Oak 20 ins. dia.
80.00	Set post at the cor. of Sec. No. 15. 16. 21 & 22 from which a Hickory 15 ins. dia. bears N 81 W 19 lbs. & a Mr. Oak 15 ins. dia. bears S 6 E 23 lbs. Broken land thin soil. Oak Timber
West	Between Sec. No. 16 & 21
40.00	Set $\frac{1}{4}$ Sec. post
79.83	fell N. of the post 65 lbs. Broken land thin soil Oak Timber.
East	Run true line & established $\frac{1}{4}$ Sec. post from which a Dogwood 4 ins. dia. bears N 79 W 13 lbs. & a Dogwood 8 ins. dia. bears N 86 E 17 lbs.
East	Between Sec. No. 23 & 25
40.00	Set $\frac{1}{4}$ Sec. post
80.03	fell S. of the post 78 lbs. Broken land, thin soil. Oak Timber.
West	Run true line & established $\frac{1}{4}$ Sec. post from which a Mr. Oak 6 ins. dia. bears S 73 W 27 lbs. & a Hickory 10 ins. dia. bears N 57 E 33 lbs.

T. L. R. I. E. of Mer. Ind.

North	Between Sec. No. 22 & 23 in Blue River
40.00	Set $\frac{1}{4}$ Sec. post from which a Hick ^y . 10 ins. dia. bears S 40 E 23 lbs. & a Gum 18 ins. dia. bears N. 52 lbs
80.00	Set post at the corner of Sec. No. 14. 15. 22 & 23 from which a Hick ^y . 12 ins. dia. bears S 79 E 15 lbs. & a Hick ^y . 10 ins. dia. bears N 74 W 27 lbs. Broken land, good soil. Oak Timber.
North	Between Sec. No. 23 & 24
23.15	To line B. Oak 12 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a Hick ^y . 5 ins. dia. bears S 40 E 11 lbs. & a Hickory 7 ins. dia. bears S 40 W 5 lbs.
80.00	Set post cor. of Sec. No. 13. 14. 23 & 24 from which a Hick ^y . 20 ins. dia. bears S 83 W 14 lbs. & a B. Oak 24 ins. dia. bears S 73 E 13 lbs. Broken land, thin soil. Timber Hick ^y & Oak.
East	Between Sec. No. 24 & 25
40.00	Set $\frac{1}{4}$ Sec. post from which a Allum 6 ins. dia. bears N 52 E 5 lbs. & a Hick ^y . 5 ins. dia. bears N 84 W 9 lbs.
80.00	Struck the post on R. line set post at the corner of Sec. No. 24 & 25 from which a B. Oak 36 ins. dia. bears N 65 W 33 lbs. & a Hick ^y . 10 ins. dia. bears N 66 W 27 lbs Broken land thin soil. Oak Timber.
Dec. 22. 1805	Connected the line Between Sec. No. 13 & 24 from the post set by Mr. Heath & set $\frac{1}{4}$ Sec. post at the average distance, from which a B. Oak tree 8 ins. dia. bears S 40 W 30 lbs. & a cherry tree 7 ins. dia. bears N 85 W 20 lbs
West	Between Sec. No. 14 & 23
40.00	Set $\frac{1}{4}$ Sec. post
80.00	fell N. of the post 47 lbs. Broken land, thin soil. Oak Timber
East	Ran true line & established $\frac{1}{4}$ Sec. post from which a W. Oak 24 ins. dia. bears S 50 W 37 lbs. & a Hickory 12 ins. dia. bears N 2 E 20 lbs.

T. L. R. D. E. of Mr. Ind.

West	Between Sec. No. 15 & 22
10.00	To Blue River course 2. over 3 chs.
40.00	Set 1/4 sec. post
80.21	fell N. of the post 3 1/4 chs. Broken land, good soil. Timber Oak & Walnut
East	Run true line & established 1/4 sec. post from which a Dogwood 3 ins. dia. bears E. 15 chs. & a Hickory 12 ins. dia. bears N 1/4 W 15 chs.
North	Between Sec. No. 16 & 17.
40.00	Set 1/4 sec. post from which a Hickory 20 ins. dia. bears N 45 E 24 chs. & a Hickory 16 ins. dia. bears N 57 W 18 chs.
42.30	To line Mr. Oak 30 ins. dia.
80.00	Set post at the corner of Sec. No. 8, 9, 16 & 17 from which a Sugar tree 10 ins. dia. bears N 40 W 10 chs. & another Sugar tree 12 ins. dia. bears S 85 E 21 chs. Broken land, good soil, Oak & Sugar tree Timber
West	Between Sec. No. 17 & 20
40.00	Set 1/4 sec. post
80.50	fell N. of the post 62 chs. Broken land, thin soil, Oak Timber
East	Run true line & established 1/4 sec. post from which a Dogwood 14 ins. dia. bears S 69 E 8 chs. & a Hickory 15 ins. dia. bears N 24 E 10 chs.
West	Between Sec. No. 18 & 19
40.00	Set 1/4 sec. post from which a Hickory 14 ins. dia. bears S 45 E 22 chs. & an Oak 12 ins. dia. bears S 65 W 12 chs.
81.00	Set post on R. line at the corner of Sec. No. 18 & 19 from which a W. Oak 20 ins. dia. bears N 2 E 14 chs. & a Dogwood 3 ins. dia. bears S 34 E 6 chs. fell N. of the post one chain Broken land, thin soil, Oak Timber

T. T. S. R. T. E. of Mer. Ind.

North	Between Sec. No. 17 & 18
16.68	To line W. Oak 20 ins. dia
40.00	Set $\frac{1}{4}$ sec. post from which a W. Oak 24 ins. dia bears S 38 W 18 lbs & a Mulberry 12 ins. dia. bears N 60 E 30 lbs
80.00	Set post at the corner of Sec. No. 7, 8, 17 & 18 from which an Ash 12 ins. dia. bears S 20 lbs & a Sugar-tree 12 ins. dia. bears N 75 E 15 lbs. Broken land thin Soil Oak timber
East	Between Sec. No. 17 & 18.
40.00	Set $\frac{1}{4}$ sec. post
80.25	fell S. of the post 80 lbs, Broken land thin Soil Oak timber
West	Run the true line & established $\frac{1}{4}$ sec. post from which a Dogwood 5 ins. dia. bears S 27 E 5 lbs & a Hickory 12 ins. dia. bears S 65 W 25 lbs.
North	Between Sec. No. 15 & 16
40.00	Set $\frac{1}{4}$ sec. post from which a Hickory 12 ins. dia. bears S 21 E 25 lbs & a Gum 10 ins. dia. bears N 40 E 7 lbs.
74.15	To a large stream course E. over 75 lbs
80.00	Set post at the corner of Sec. No. 9, 10, 15 & 16. from which a W. Oak 9 ins. dia. bears S 65 W 11 lbs & a Gum 9 ins. dia. bears S 80 E 15 lbs. Level land, good Soil, Timber Oak & Sugar tree
West	Between Sec. No. 9 & 16
5.00	To a large stream course S 45 E. over 1 chain
33.50	To said stream course N. over 60 lbs
40.00	Set $\frac{1}{4}$ sec. post
72.13	To a stream running S 80 E - 50 lbs. over
80.14	fell N. of the post 57 lbs. Broken land, good Soil Timber Sugar tree & ash
East.	Run true line & established $\frac{1}{4}$ sec. post from which a cherry 18 ins. dia. bears N 60 W 25 lbs. & a Hickory 4 ins.

T. D. S. R. D. Co. of Mer. Ind.

	dia. bears N 69 E 34 lbs
North	Between Sec. No. 14 & 15
15.70	To line B. Oak 18 ins. dia.
26.50	To Blue River course S 65 W - over 2 chs
40.00	Set 1/2 Sec. post in Blue River course S. 10 E over 250 lbs
80.00	Set post at the cor. of Sec. No. 10. 11. 14 & 15 from which a Dogwood 4 ins. dia. bears N 63 E 4 lbs. & a W. Oak 20 ins. dia. bears S 63 W 26 lbs. Broken land thin soil Oak Timber
North	Between Sec. No. 13 & 14
5.30	To line B. Oak 12 ins. dia.
40.00	Set 1/2 Sec. post from which a W. Oak 6 ins. dia. bears S 2 W 14 lbs & a W. Oak 20 ins. dia. bears S 30 W 34 lbs.
80.00	Set post at the corner of Sec. No. 11. 12. 13 & 14 from which an Oak 18 ins. dia. bears S 42 W 14 lbs. & an Oak 20 ins. dia. bears N 84 E 10 lbs. Broken land, thin soil. Oak Timber
East	Between Sec. No. 12 & 13
4.50	To Blue River course N 10 W - over 2 chs
27.00	To " " " due S. " 2 chs
22. Dec. 1845	Placed a line from post set by W. Heath & set 1/2 Sec post at the average distance between Sec. No. 12 & 13 T. D. S. R. D. Co. a Sugar tree 24 ins. dia. cor. tree for 1/2 Sec & a B. Oak 20 ins. dia. bears N 60 E 34 lbs
79.80	To R. line, set post at the corner of Sec. No. 12 & 13 from which a W. Oak 28 ins. dia. bears S 4 E 46 lbs. & another 18 ins. dia. bears N 89 W 46 lbs Broken land thin soil. Oak Timber
West	Between Sec. No. 11 & 14
40.00	Set 1/2 Sec. post
80.00	fell N. of the post 41 lbs Broken land thin soil Oak Timber

T. D. L. R. D. Co. of Mer. Ind.

East	Run true line & established $\frac{1}{4}$ sec. post, from which a Dogwood 4 ins. dia. bears N 80 E 11 lks. & a W. Oak 12 ins. dia. bears N 6 W 14 lks.
North	Between Sec. No. 11 & 12
10.00	To Blue River, course S 44 W. over 2 lks
23.60	To line W. Oak 48 ins. dia
40.00	Set $\frac{1}{4}$ sec. post from which a W. Oak 15 ins. dia. bears N 37 W 3 lks. & a W. Oak 20 ins. dia. bears S 45 E 26 lks.
80.00	Set post on Blue River at the cor. of Sec. No. 1. 2. 11 & 12 no bearing trees to be had course of the River S 45 E over 2 lks. Broken land good soil. Timber Oak Sugar tree & ash
North	Between Sec. No. 10 & 11
15.90	To line Hickory 30 ins. dia
40.00	Set $\frac{1}{4}$ sec. post from which a Sugar tree 10 ins. dia. bears S 16 W 4 lks. & a Beech 6 ins. dia. bears N 34 W 20 lks.
53.50	To Blue River course S. 10 W. over 2 lks
80.00	Set post at the cor. of Sec. No. 2. 3. 10 & 11 from which an Ash 8 ins. dia. bears S 48 W 24 lks. & a W. Oak 12 ins. dia. bears N 60 E 16 lks. Broken land thin soil Oak & Gum
West	Between Sec. No. 10 & 15
40.00	Set $\frac{1}{4}$ sec. post in Blue River course S 45 W. over 3 lks. at the mouth of a large Branch from the N. W. fell N. of the post 6 lks. Broken land, good soil
80.13	Ash & Poplar Timber
East	Run true line but could not establish $\frac{1}{4}$ sec. post it falling in Blue River where no bearing trees are to be had
North	Between Sec. No. 9 & 10
40.00	Set $\frac{1}{4}$ sec. post from which a Hickory 8 ins. dia. bears

T. D. S. R. 2. E. of Mer. Ind.

80.00	N 72 E 5 lks. & a Hickory 8 ins. dia. bears N 52 W 8 lks Set post at the cor. of Sec. No. 3. 4. 9 110. from which a W. Oak 24 ins. dia. bears N 63 E 14 lks. & a Poplar 13 ins. dia. bears N 25 W. Level land, good soil. B. Oak & Cherry tree timber
North	Between Sec. No. 8 99
11.50	Go a Branch running E. over 50 lks
16.70	Go line Hickory 12 ins. dia
40.00	Set 1/4 Sec. post from which a B. Oak 15 ins. dia. bears N 20 W 24 lks. & a Hickory 4 ins. dia. bears N 55 W 8 lks
47.00	Go a Branch runs due W. over 25 lks
80.00	Set post at the cor. of Sec. No. 4. 5. 8 99 from which a Sugar tree 7 ins. dia. bears N 7 E 24 lks. & a Sugar tree 12 ins. dia. bears N 27 W 34 lks. Rough broken land, thin soil Oak & Hickory. Timber
West	Between Sec. No. 7 118
40.00	Set 1/4 Sec. post from which a Maple 4 ins. dia. bears N 85 E 34 lks. & a Maple 8 ins. dia. bears N 50 W 23 lks.
80.00	Go R. line full N. of the post 82 lks. Set post at the cor. of Sec. No. 7 118 from which a W. Oak 18 ins. dia. bears N 44 W 30 lks & a W. Oak 20 ins. dia. bears N 36 W 12 lks Broken land, thin soil. Oak Timber
North	Between Sec. No. 7 98
19.70	Go line W. Oak 36 ins. dia.
40.00	Set 1/4 Sec. post from which a Sassafras 5 ins. dia. bears N 55 E 22 lks. & an Oak 5 ins. dia. bears N 22 W 17 lks
80.00	Set post at the cor. of Sec. No. 5. 6. 7 98 from which a B. Walnut 12 ins. dia. bears N 7 W 30 lks. & a Sugar tree 4 ins. dia. bears N 74 W 17 lks. Broken land, thin soil, Oak Timber
West	Between Sec. No. 6 97
40.00	Set 1/4 Sec. post from which a W. Oak 10 ins. dia. bears

T. I. L. R. Q. E. of Mer. Ind.

80.16	S 19 E 9 lks. 4a Hick ^y 15 ins. dia. bears N 36. W 17 lks To R. line fell N. of the post 69 lks. Set post at the cor. of Sec. No. 6 & 7 from which a W. Oak 16 ins. dia. bears N 36 E 12 lks. & another 10 ins. dia. bears S 13 W 19 lks Rough broken land, thin soil. Oak Timber
East 10.80 40.00 80.10	Between Sec. No. 5 & 8 To a Branch course, S 45 E over 50 lks Set $\frac{1}{4}$ Sec. post fell S. of the post 18 lks. Rough broken land, thin soil, Oak Timber
West	Run true line & established $\frac{1}{4}$ Sec. post from which a Sugar tree 10 ins. dia. bears N 77 W 22 lks. & another Sugar tree 4 ins. dia. bears S 70 E 24 lks
East 7.50 40.00 49.87	Between Sec. No. 4 & 9 To a South running branch over 25 lks. Set $\frac{1}{4}$ Sec. post fell S. of the post 51 lks. Rough Broken land, thin soil. Oak Timber
West	Run true line & established $\frac{1}{4}$ Sec. post from which a W. Oak 30 ins. dia. bears N 65 W 16 lks. & a B. Oak 24 ins. dia. bears S 75 E 15 lks
East 40.00 80.50	Between Sec. No. 3 & 10 Set $\frac{1}{4}$ Sec. post fell S. of the post 98 lks. Broken land, thin soil. Oak Timber
West	Run true line & established $\frac{1}{4}$ Sec. post from which a Hick ^y 15 ins. dia. bears S 85 W 2 lks. & a Hick ^y 20 ins. dia. bears N 69 E 22 lks
East 40.00	Between Sec. No. 2 & 11 Set $\frac{1}{4}$ Sec. post

T. L. L. R. L. E. of Mer. Ind.

80.00	fell S. of the post in Blue River 67 lbs. course S. 20. E Broken land thin Soil Oak Timber
West	Run true line & established $\frac{1}{4}$ Sec. post from which a Hickory 6 ins. dia. bears N 82 W 21 lbs. & a W. Oak 12 ins. dia. bears S 70 E 3 lbs
Dec. 22. 1865	Placed a line from post set by Mr. Heath between Sec. 1 & 2
40.00	Set $\frac{1}{4}$ Sec. post at Hickory 6 ins. dia. & a B. Oak 18 ins. dia bears S 78 E 58 lbs.
North	Between Sect. No. 1 & 2
24.50	To line W. Oak 20 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia. bears S 17 W 18 lbs & another W. Oak 10 ins. dia. bears S 5 E 17 lbs.
80.00	To the Township line fell E. of the post 76 lbs. post at the cor. of Sec. No. 1 & 2 from which a Hickory 10 ins. dia. bears N 56 W 34 lbs. & a Hickory 9 ins. dia. bears N 80 E 36 lbs. Broken land, thin Soil, Oak Timber.
North	Between Sect. No. 2 & 3
19.10	To a line Hickory 12 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 30 ins. dia. bears S 17 W 35 lbs. & a Hickory 10 ins. dia. bears N 40 W 7 lbs
79.00	To the Township line fell E. of the post 1 chain. Set post at the cor. of Sect. No. 2 & 3. from which a B. Oak 5 ins. dia. bears S 28 E 10 lbs. & a Hickory 10 ins. dia. bears N 60 W 23 lbs. Broken land thin Soil Oak & Hickory Timber.
North	Between Sect. No. 3 & 4
16.20	To line B. Oak 20 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears S 3 W 27 lbs. & a W. Oak 18 ins. dia. bears N 22 E 24 lbs
79.80	To the Township line fell E. of the post 1.15 Chs. Set post at the corner of Sect. No. 3 & 4 from which a Poplar tree 20 ins. dia. bears S 80 E 17 lbs. & a Poplar 16 ins. dia. bears S 60 W 15 lbs Broken land, thin Soil Oak Timber

N. D. S. R. 2. E. of Mer. Ind.

North Between Sec. No. 4 & 5
 36.00 To a Branch course E. over 50 lks
 40.00 Set $\frac{1}{4}$ Sec. post from which a B. Walnut 36 ins. dia. bears
 S 12 E 36 lks. & a Hickory 6 ins. dia. bears N 12 W 40 lks
 45.00 To line Hickory 6 ins. dia
 79.50 To the Township line fell E. of the post 1 ch. Set
 the post at the cor. of Sec. No. 4 & 5 from which a
 W. Oak 20 ins. dia. bears E. 3 lks. & a Sugar-tree 7 ins.
 dia. bears S 59 W 15 lks. Broken land, good soil
 Timber Oak, Sugar-tree, & Walnut

North Between Sec. No. 5 & 6
 11.00 To a Branch course S 45 E. 50 lks. over
 25.25 To line an Oak 20 ins. dia.
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 20 ins. dia. bears
 S 50 W 10 lks. & a Hickory 10 ins. dia. bears N 22 E 14 lks.
 79.20 To the Township line fell E. of the post one chain
 10 lks. Set post at the cor. of Sec. No. 5 & 6 from
 which a Sugar-tree 7 ins. dia. bears S 87 W 23 lks. &
 a Dogwood 8 ins. dia. bears S 9 W 12 lks. Rough
 broken land, thin soil. Oak & Hickory Timber.

Surveyed by
 Silas Bent. June 1805
 Deputy Surveyor

I certify that the foregoing Transcript
 of the field notes of Township No. 2 South
 Range No. 2 East of the 2^d Mer. has been com-
 -pared with the original in this office and
 found to be correct

Surveyor General's Office
 Cincinnati, Feb. 11. 1841.

E. J. Cairnes
 Sur Genl

T. 3 S., R. 2 E. 2. Mer. Ind.

✱

Balance of the N. Boundary of T. 3. R. 2. E. —

54.00 To line Sugar-tree 15 ins. dia

80.00 Set post cor. of Sec 34 & 35. B. Oak 20 ins dia. bears S
60 & 10 N. 8 W Hickory 9 ins. dia. bears N 35 W 25 N. 10 S.
Rough hills good soil Oak. Buck. Sugar. Spruce

East On South side of Sec. 36. T. 2. S. R. 2. E.

6.00 To Big Blue River course S. W.

10.70 To East bank. The line crosses at the head of a fall ^{4 or 5 feet} in
the River below, renders it a good mill seat —

46.00 To Logwood To sec. corner. B. Oak 5 ins. dia. South 50 N.

80.00 Set post corner to Towns 2 & 3 T. 2. E. & T. 2 & 3
in R. 3. S. & E. corner of Sec. 36 in T. 2. R. 2 & S. W.
corner of Sec. 31 in T. 2. R. 3. S.

W. Oak 15 ins. dia N 20 W 43 N. dist. 8

a B. Oak 15 " " S 50 E 15 " "

First 1/2 rough hills. The last rich. Timber
Oak. Poplar. B. Walnut. — good land on the North
side for the last 1/2 —